

## Engineering Interpretations

### **Construction Material and Excavating**

Soils are rated as sources for road fill, topsoil, sand, and gravel. Suitability ratings of good, fair, or poor are given for soils used as a source of road fill and topsoil. Ratings of probable and improbable are given for sand and gravel. A rating of probable means that on the basis of the available evidence, the source material is likely to be in or below the soil. A rating of improbable means that the source material is unlikely to be in or below the soil. The ratings for sand and gravel do not consider the quality of the source material because quality depends on how the source material is to be used.

### **Road Fill**

Road fill consists of soil material that is excavated from its original position and used in road embankments elsewhere. The evaluations for road fill are for low embankments that generally are less than 6 feet in height and are less exacting in design than high embankments such as those along superhighways. The rating is given for the whole soil, from the surface to a depth of about 5 feet, based on the assumption that soil horizons will be mixed in loading, dumping, and spreading. Soils are rated as to the amount of material available for excavation, the ease of excavation, and how well the material performs after it is in place.

### **Sand**

Sand as a construction material is usually defined as particles ranging in size from 0.074 mm (sieve #200) to 4.75 mm (sieve #4) in diameter. Sand is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the sand for specific purposes is not evaluated. If the lowest layer of the soil contains sand, the soil is rated as a probable source regardless of thickness. The assumption is that the sand layer below the depth of observation exceeds the minimum thickness.

### **Gravel**

Gravel as a construction material is defined as particles ranging in size from 4.76 mm (sieve #4) to 76 mm (3 inches) in diameter.

Gravel is used in great quantities in many kinds of construction. Specifications for each purpose vary widely. The intent of this rating is to show only the probability of finding material in suitable quantity. The suitability of the gravel for specific purposes is not evaluated. If the lowest layer of the soil contains gravel, the soil is rated as a probable source regardless of thickness. The assumption is that the gravel layer below the depth of observation exceeds the minimum thickness.

### **Topsoil**

The term "topsoil" has several meanings. As used here, the term describes soil material used to cover an area so as to improve soil conditions for establishment and maintenance of adapted vegetation. Generally, the upper part of the soil, which is richest in organic matter, is most desirable; however, material excavated from deeper layers is also used. In this rating, the upper 40 inches of soil material is evaluated for use as topsoil. In the

borrow area, the material below 40 inches is evaluated for its suitability for plant growth after the upper 40 inches is removed. The soil properties that are used to rate the soil as topsoil are those that affect plant growth, the ease of excavation, loading, and spreading, and those that affect the reclamation of the borrow area.

*This subsection includes:*

- **(a) Construction Materials and Excavating**

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
70022: Tonti-----	Moderately limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.04	~excess fines	1.00	~excess fines	0.75	~dense layer <20"	1.00	~wetness	1.00
	(slightly limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~cutbanks cave	1.00
							(very limited)		(very limited)	
70025: Branson-----	Very limited		Very limited		Very limited		Slightly limited		Slightly limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too acid	0.12	~cutbanks cave	0.29
	(very limited)		(thickest layer)		(bottom layer)		(slightly limited)		(slightly limited)	
			~excess fines	1.00	~excess fines	1.00			~too clayey	0.06
			(bottom layer)		(thickest layer)				(slightly limited)	
Splitlimb-----	Very limited		Very limited		Very limited		Limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~wetness	0.71	~wetness	1.00
	(very limited)		(thickest layer)		(bottom layer)		(limited)		(very limited)	
	~wetness	0.71	~excess fines	1.00	~excess fines	1.00	~too acid	0.48	~cutbanks cave	0.29
	(limited)		(bottom layer)		(thickest layer)		(moderately limited)		(slightly limited)	
	~shrink-swell	0.45					~too clayey	0.33		
	(moderately limited)						(moderately limited)			
70026: Tonti-----	Moderately limited		Very limited		Possible source		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	0.75	~small stones	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.04	~excess fines	1.00	~possible source	0.50	~dense layer <20"	1.00	~wetness	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~cutbanks cave	1.00
							(very limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
71250: Britwater-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (thickest layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	0.99	~area reclaim (very limited)	1.00	~too clayey (slightly limited)	0.03
							~too clayey (moderately limited)	0.55		
73000: Pomme-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (thickest layer)	1.00	Limited ~small stones (limited)	0.88	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~too clayey (limited)	0.61	~too clayey (very limited)	1.00
							~too acid (slightly limited)	0.18		
73013: Lowassie-----	Very limited ~wetness (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00
	~low strength (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.27					~too acid (moderately limited)	0.54	~too clayey (moderately limited)	0.60
73017: Bendavis-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~depth to bedrock (very limited)	1.00	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	0.75	~slope (very limited)	1.00	~hard bedrock <40" (very limited)	1.00
	~slope (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	0.75	~small stones (very limited)	1.00	~slope (very limited)	1.00
	~wetness (slightly limited)	0.12					~large surface stones (limited)	0.70	~cutbanks cave (very limited)	1.00

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73017: (cont)										
Poynor-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~possible source	0.50	~small stones	1.00	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.14					~too acid	0.36	~too clayey	1.00
	(slightly limited)						(moderately limited)		(very limited)	
73023:										
Mano-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.50	~excess fines	1.00	~possible source	0.50	~too acid	0.30	~too clayey	1.00
	(moderately limited)		(bottom layer)		(thickest layer)		(slightly limited)		(very limited)	
	~wetness	0.12					~wetness	0.12	~wetness	1.00
	(slightly limited)						(slightly limited)		(very limited)	
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.71	~excess fines	1.00	~excess fines	1.00	~small stones	0.88	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
	~depth to bedrock	0.25					~wetness	0.12	~wetness	1.00
	(slightly limited)						(slightly limited)		(very limited)	
73024:										
Mano-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.50	~excess fines	1.00	~possible source	0.50	~slope	0.63	~too clayey	1.00
	(moderately limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
	~wetness	0.12					~too acid	0.48	~wetness	1.00
	(slightly limited)						(moderately limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73024: (cont)										
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.71	~excess fines	1.00	~excess fines	1.00	~small stones	0.88	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
	~depth to bedrock	0.25					~slope	0.63	~wetness	1.00
	(slightly limited)						(limited)		(very limited)	
73051:										
Winnipeg-----	Very limited		Very limited		Very limited		Moderately limited		Moderately limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	0.55	~too clayey	0.54
	(very limited)		(thickest layer)		(thickest layer)		(moderately limited)		(moderately limited)	
	~shrink-swell	0.33	~excess fines	1.00	~excess fines	1.00			~cutbanks cave	0.29
	(moderately limited)		(bottom layer)		(bottom layer)				(slightly limited)	
73054:										
Viburnum-----	Limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.76	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~wetness	1.00
	(limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.45	~excess fines	1.00	~excess fines	0.87	~area reclaim	1.00	~cutbanks cave	1.00
	(moderately limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~small stones	1.00	~too clayey	0.79
							(very limited)		(limited)	
73063:										
Bendavis-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.12	~excess fines	1.00	~excess fines	1.00	~depth to bedrock	0.93	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
							~too acid	0.30	~wetness	1.00
							(slightly limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73063: (cont)										
Poynor-----	Very limited		Not Rated		Possible source		Very limited		Very limited	
	~low strength	1.00	Not Rated		~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)				(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.14	~excess fines	1.00	~possible source	0.50	~too acid	0.42	~too clayey	0.99
	(slightly limited)		(thickest layer)		(thickest layer)		(moderately limited)		(limited)	
							~too clayey	0.33		
							(moderately limited)			
73068:										
Tick-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.30	~excess fines	1.00	~excess fines	1.00	~slope	0.63	~slope	0.63
	(slightly limited)		(bottom layer)		(bottom layer)		(limited)		(limited)	
							~too acid	0.42	~cutbanks cave	0.29
							(moderately limited)		(slightly limited)	
73069:										
Tick-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.30					~too acid	0.42	~cutbanks cave	0.29
	(slightly limited)						(moderately limited)		(slightly limited)	
73073:										
Scholten-----	Limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.82	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~wetness	1.00
	(limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.25	~excess fines	1.00	~excess fines	0.62	~area reclaim	1.00	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~dense layer	1.00	~dense layer	1.00
							(limited)		(limited)	

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73073: (cont)										
Poynor-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.14	~excess fines	1.00	~excess fines	0.75	~slope	0.63	~too clayey	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
							~too acid	0.42	~slope	0.63
							(moderately limited)		(limited)	
73076:										
Mano-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~possible source	0.50	~small stones	1.00	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.50					~too acid	0.48	~too clayey	1.00
	(moderately limited)						(moderately limited)		(very limited)	
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~slope	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.71					~small stones	0.88	~cutbanks cave	1.00
	(limited)						(limited)		(very limited)	
73077:										
Eudy-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~wetness	0.98	~wetness	1.00
	(very limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
	~shrink-swell	1.00					~small stones	0.88	~cutbanks cave	1.00
	(very limited)						(limited)		(very limited)	



# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73080:										
Alred-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	1.00	~excess fines	1.00	~possible source	0.42	~small stones	1.00	~too clayey	1.00
	(very limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.15					~large surface stones	0.60	~cutbanks cave	0.29
	(slightly limited)						(moderately limited)		(slightly limited)	
Bardley-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~slope	1.00					~too clayey	1.00	~too clayey	1.00
	(very limited)						(very limited)		(very limited)	
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73176:										
Bendavis-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	0.75	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.12	~excess fines	1.00	~excess fines	0.75	~small stones	1.00	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~slope	0.63	~wetness	1.00
							(limited)		(very limited)	
Poynor-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.32	~excess fines	1.00	~excess fines	0.99	~slope	0.63	~slope	0.63
	(moderately limited)		(bottom layer)		(thickest layer)		(limited)		(limited)	
							~too acid	0.36	~cutbanks cave	0.29
							(moderately limited)		(slightly limited)	

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73197: Viburnum-----	Limited ~wetness (limited) ~shrink-swell (moderately limited)	0.86 0.45	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 0.87	Very limited ~too clayey (very limited) ~area reclaim (very limited) ~small stones (very limited)	1.00 1.00 1.00	Very limited ~wetness (very limited) ~cutbanks cave (very limited) ~too clayey (limited)	1.00 1.00 0.79
73198: Gressy-----	Slightly limited ~low strength (slightly limited) ~shrink-swell (slightly limited)	0.22 0.18	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	1.00 1.00	Slightly limited ~small stones (slightly limited) ~area reclaim (slightly limited)	0.12 0.08	Very limited ~cutbanks cave (very limited) ~too clayey (very limited)	1.00 1.00
Viraton-----	Moderately limited ~wetness (moderately limited) ~shrink-swell (slightly limited)	0.48 0.20	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Possible source ~excess fines (bottom layer) ~possible source (thickest layer)	1.00 0.25	Very limited ~small stones (very limited) ~dense layer <20" (very limited) ~too acid (limited)	1.00 1.00 0.68	Very limited ~dense layer <20" (very limited) ~wetness (very limited) ~cutbanks cave (very limited)	1.00 1.00 1.00
73199: Moko-----	Very limited ~depth to bedrock (very limited) ~large stones (limited) ~low strength (slightly limited)	1.00 0.86 0.22	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~small stones (bottom layer)	1.00 1.00	Very limited ~small stones (bottom layer) ~excess fines (thickest layer) ~possible source (bottom layer)	1.00 0.99 0.42	Very limited ~depth to bedrock (very limited) ~small stones (very limited) ~large stones >25% (very limited)	1.00 1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~large stones (limited) ~cutbanks cave (slightly limited)	1.00 0.86 0.29
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73221: Poynor-----	Very limited ~low strength (very limited) ~shrink-swell (slightly limited) ~slope (slightly limited)	 1.00  0.14 0.08	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Possible source ~excess fines (bottom layer) ~possible source (thickest layer)	 1.00  0.50	Very limited ~small stones (very limited) ~slope (very limited) ~too acid (moderately limited)	 1.00  1.00 0.36	Very limited ~cutbanks cave (very limited) ~too clayey (very limited) ~slope (very limited)	 1.00  1.00 1.00
73222: Splitlimb-----	Very limited ~low strength (very limited) ~wetness (limited) ~shrink-swell (moderately limited)	 1.00  0.76 0.45	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00  1.00	Limited ~wetness (limited) ~too acid (moderately limited) ~too clayey (moderately limited)	 0.76  0.48 0.33	Very limited ~ponded (wetness) (very limited) ~wetness (very limited) ~cutbanks cave (slightly limited)	 1.00  1.00 0.29
73223: Coulstone-----	Limited ~large stones (limited) ~slope (limited)	 0.97  0.92	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~large stones (bottom layer)	 1.00  1.00 0.50	Limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~large stones (thickest layer)	 0.99  0.75 0.50	Very limited ~slope (very limited) ~small stones (very limited) ~area reclaim (very limited)	 1.00  1.00 1.00	Very limited ~slope (very limited) ~large stones (limited) ~cutbanks cave (slightly limited)	 1.00  0.97 0.29
Bender-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~large stones (limited)	 1.00  1.00 0.71	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~small stones (thickest layer)	 1.00  1.00 0.60	Limited ~excess fines (bottom layer) ~excess fines (thickest layer) ~small stones (thickest layer)	 0.75  0.75 0.60	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~small stones (very limited)	 1.00  1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~slope (very limited) ~large stones (limited)	 1.00  1.00 0.71

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73226:										
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.85	~excess fines	1.00	~excess fines	1.00	~small stones	0.88	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
	~depth to bedrock	0.25					~wetness	0.12	~wetness	1.00
	(slightly limited)						(slightly limited)		(very limited)	
Gatewood-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~wetness	1.00
	(very limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	1.00					~small stones	0.88	~too clayey	1.00
	(very limited)						(limited)		(very limited)	
73227:										
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~cutbanks cave	1.00
	(very limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.85					~small stones	0.88	~too clayey	1.00
	(limited)						(limited)		(very limited)	
Gatewood-----	Very limited		Not Rated		Very limited		Very limited		Very limited	
	~low strength	1.00	Not Rated		~excess fines	1.00	~slope	1.00	~hard bedrock <40"	1.00
	(very limited)				(bottom layer)		(very limited)		(very limited)	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~slope	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	1.00					~depth to bedrock	0.68	~wetness	1.00
	(very limited)						(limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73230: Coulstone-----	Limited ~slope (limited) ~large stones (limited)	0.92 0.88	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~large stones (bottom layer)	1.00 1.00 0.30	Limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~large stones (thickest layer)	1.00 0.75 0.30	Very limited ~slope (very limited) ~small stones (very limited) ~area reclaim (very limited)	1.00 1.00 1.00	Very limited ~slope (very limited) ~large stones (limited) ~cutbanks cave (slightly limited)	1.00 0.88 0.29
Bender-----	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~large stones (limited)	1.00 1.00 0.71	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer) ~small stones (thickest layer)	1.00 1.00 0.60	Limited ~excess fines (bottom layer) ~excess fines (thickest layer) ~small stones (thickest layer)	0.75 0.75 0.60	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~small stones (very limited)	1.00 1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~slope (very limited) ~large stones (limited)	1.00 1.00 0.71
Gatewood-----	Very limited ~low strength (very limited) ~depth to bedrock (very limited) ~shrink-swell (very limited)	1.00 1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~depth to bedrock (very limited) ~slope (very limited) ~too clayey (very limited)	1.00 1.00 1.00	Very limited ~hard bedrock <40" (very limited) ~slope (very limited) ~wetness (very limited)	1.00 1.00 1.00
73231: Wasola-----	Moderately limited ~shrink-swell (moderately limited) ~wetness (moderately limited)	0.53 0.48	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00 1.00	Very limited ~area reclaim (very limited) ~small stones (limited) ~wetness (moderately limited)	1.00 0.72 0.48	Very limited ~wetness (very limited) ~cutbanks cave (very limited) ~too clayey (slightly limited)	1.00 1.00 0.15

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73235: Alred-----	Very limited ~low strength (very limited) ~slope (very limited) ~shrink-swell (limited)	 1.00  1.00 0.62	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Possible source ~excess fines (bottom layer) ~possible source (thickest layer)	 1.00 0.42	Very limited ~small stones (very limited) ~large stones >25% (very limited) ~slope (very limited)	 1.00 1.00 1.00	Very limited ~too clayey (very limited) ~slope (very limited) ~cutbanks cave (slightly limited)	 1.00  1.00 0.29
73236: Scholten-----	Limited ~wetness (limited) ~shrink-swell (slightly limited)	 0.82  0.04	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 0.62	Very limited ~small stones (very limited) ~area reclaim (very limited) ~dense layer (limited)	 1.00 1.00 1.00 1.00	Very limited ~wetness (very limited) ~cutbanks cave (very limited) ~dense layer (limited)	 1.00  1.00 1.00
Poynor-----	Very limited ~low strength (very limited) ~shrink-swell (slightly limited)	 1.00  0.14	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Possible source ~excess fines (bottom layer) ~possible source (thickest layer)	 1.00 0.50	Very limited ~small stones (very limited) ~too acid (moderately limited)	 1.00 0.36	Very limited ~cutbanks cave (very limited) ~too clayey (very limited)	 1.00 1.00
73240: Jerktail-----	Very limited ~shrink-swell (very limited) ~wetness (moderately limited)	 1.00  0.48	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00 1.00	Very limited ~too clayey (very limited) ~small stones (very limited) ~area reclaim (limited)	 1.00 1.00 0.92	Very limited ~wetness (very limited) ~cutbanks cave (very limited) ~too clayey (very limited)	 1.00 1.00 1.00

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73242: Fanchon-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (bottom layer)	1.00	Slightly limited ~too acid (slightly limited)	0.24	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	0.99			~too clayey (very limited)	1.00
Tonti-----	Limited ~wetness (limited)	0.78	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~dense layer <20" (very limited)	1.00	Very limited ~dense layer <20" (very limited)	1.00
	~shrink-swell (slightly limited)	0.01	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~wetness (limited)	0.78	~wetness (very limited)	1.00
							~small stones (moderately limited)	0.50	~cutbanks cave (very limited)	1.00
73243: Topazmill-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Not limited		Slightly limited ~cutbanks cave (slightly limited)	0.29
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00				
73245: Alred-----	Very limited ~low strength (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Possible source ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~shrink-swell (moderately limited)	0.50	~excess fines (bottom layer)	1.00	~possible source (thickest layer)	0.50	~too acid (slightly limited)	0.30	~too clayey (very limited)	1.00
73246: Alred-----	Very limited ~low strength (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Possible source ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
	~shrink-swell (moderately limited)	0.50	~excess fines (bottom layer)	1.00	~possible source (thickest layer)	0.50	~slope (limited)	0.63	~too clayey (very limited)	1.00
							~too acid (slightly limited)	0.30	~slope (limited)	0.63

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73247:										
Alred-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~possible source	0.42	~small stones	1.00	~too clayey	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.62					~large stones >25%	1.00	~cutbanks cave	0.29
	(limited)						(very limited)		(slightly limited)	
73248:										
Alred-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.62	~excess fines	1.00	~possible source	0.42	~large stones >25%	1.00	~slope	0.63
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(limited)	
	~large stones	0.01					~slope	0.63	~cutbanks cave	0.29
	(slightly limited)						(limited)		(slightly limited)	
Bendavis-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	0.75	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.12	~excess fines	1.00	~excess fines	0.75	~small stones	1.00	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~slope	0.63	~wetness	1.00
							(limited)		(very limited)	
73249:										
Alred-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~possible source	0.42	~small stones	1.00	~too clayey	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.62					~large stones >25%	1.00	~cutbanks cave	0.29
	(limited)						(very limited)		(slightly limited)	



Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73249: (cont)										
Ocie-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~too clayey	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~slope	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.71					~small stones	0.88	~cutbanks cave	1.00
	(limited)						(limited)		(very limited)	
Bendavis-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	0.99	~slope	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	1.00	~excess fines	1.00	~excess fines	0.99	~small stones	1.00	~slope	1.00
	(very limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~wetness	0.12					~large surface stones	0.70	~cutbanks cave	1.00
	(slightly limited)						(limited)		(very limited)	
73295:										
Taterhill-----	Not limited		Very limited		Limited		Very limited		Very limited	
			~excess fines	1.00	~excess fines	1.00	~area reclaim	1.00	~cutbanks cave	1.00
			(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	0.99	~too acid	0.12		
			(bottom layer)		(bottom layer)		(slightly limited)			
73296:										
Yelton-----	Limited		Very limited		Very limited		Very limited		Very limited	
	~wetness	0.82	~excess fines	1.00	~excess fines	1.00	~dense layer <20"	1.00	~dense layer <20"	1.00
	(limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.12	~excess fines	1.00	~excess fines	1.00	~wetness	0.82	~wetness	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
							~small stones	0.50	~cutbanks cave	0.29
							(moderately limited)		(slightly limited)	
Topazmill-----	Not limited		Very limited		Very limited		Not limited		Slightly limited	
			~excess fines	1.00	~excess fines	1.00			~cutbanks cave	0.29
			(thickest layer)		(bottom layer)				(slightly limited)	
			~excess fines	1.00	~excess fines	1.00				
			(bottom layer)		(thickest layer)					

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73296: (cont) Lily-----	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too acid (slightly limited)	0.30	~cutbanks cave (very limited)	1.00
							~too clayey (slightly limited)	0.04		
73297: Poynor-----	Very limited ~low strength (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Possible source ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~slope (limited)	0.92	~excess fines (bottom layer)	1.00	~possible source (thickest layer)	0.50	~small stones (very limited)	1.00	~cutbanks cave (very limited)	1.00
	~shrink-swell (slightly limited)	0.14					~too acid (moderately limited)	0.36	~too clayey (limited)	0.76
Scholten-----	Limited ~slope (limited)	0.92	Not Rated Not Rated		Limited ~excess fines (thickest layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
	~wetness (moderately limited)	0.48	~excess fines (thickest layer)	1.00	~excess fines (bottom layer)	0.62	~small stones (very limited)	1.00	~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.05	~small stones (thickest layer)	0.10	~small stones (thickest layer)	0.10	~area reclaim (very limited)	1.00	~cutbanks cave (very limited)	1.00
73298: Tonti-----	Moderately limited ~wetness (moderately limited)	0.48	Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (thickest layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~dense layer <20" (very limited)	1.00
	~shrink-swell (slightly limited)	0.04	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	0.75	~dense layer <20" (very limited)	1.00	~wetness (very limited)	1.00
							~area reclaim (very limited)	1.00	~cutbanks cave (very limited)	1.00

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73298: (cont)										
Hogcreek-----	Very limited		Very limited		Limited		Not Rated		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	Not Rated		~dense layer <20"	1.00
	(very limited)		(thickest layer)		(thickest layer)				(very limited)	
	~wetness	0.76	~excess fines	1.00	~excess fines	0.75	Not Rated		~hard bedrock <40"	1.00
	(limited)		(bottom layer)		(bottom layer)				(very limited)	
							Not Rated		~wetness	1.00
									(very limited)	
73299:										
Plato-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~dense layer <20"	1.00	~dense layer <20"	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~wetness	0.86	~excess fines	1.00	~excess fines	1.00	~area reclaim	0.92	~wetness	1.00
	(limited)		(bottom layer)		(bottom layer)		(limited)		(very limited)	
	~shrink-swell	0.84					~wetness	0.86	~cutbanks cave	1.00
	(limited)						(limited)		(very limited)	
Jerktail-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~shrink-swell	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~wetness	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.48	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(moderately limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~area reclaim	0.92	~too clayey	1.00
							(limited)		(very limited)	
73300:										
Macedonia-----	Moderately limited		Very limited		Very limited		Very limited		Very limited	
	~shrink-swell	0.45	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	0.29
			(bottom layer)		(bottom layer)		(very limited)		(slightly limited)	
							~too acid	0.54		
							(moderately limited)			

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73301: Tick-----	Very limited ~low strength (very limited) ~shrink-swell (slightly limited)	 1.00  0.30	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~too clayey (very limited) ~too acid (moderately limited) ~small stones (slightly limited)	 1.00  0.42 0.12	Very limited ~too clayey (very limited) ~cutbanks cave (slightly limited)	 1.00  0.29
73302: Kenaga-----	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited)	 0.48  0.45	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  0.99	Very limited ~small stones (very limited) ~area reclaim (very limited) ~too clayey (limited)	 1.00  1.00 0.94	Very limited ~wetness (very limited) ~too clayey (limited) ~cutbanks cave (slightly limited)	 1.00  0.76 0.29
73303: Kenaga-----	Moderately limited ~wetness (moderately limited) ~shrink-swell (moderately limited)	 0.48  0.45	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~small stones (very limited) ~too clayey (limited) ~wetness (moderately limited)	 1.00  0.94 0.48	Very limited ~wetness (very limited) ~too clayey (limited) ~cutbanks cave (slightly limited)	 1.00  0.76 0.29
Egyptgrove----	Moderately limited ~shrink-swell (moderately limited)	 0.45	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  0.99	Very limited ~too clayey (very limited) ~small stones (very limited) ~area reclaim (very limited)	 1.00  1.00 1.00	Very limited ~cutbanks cave (very limited) ~too clayey (very limited)	 1.00  1.00

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73304:										
Kenaga-----	Moderately limited		Very limited		Very limited		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~wetness	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.45	~excess fines	1.00	~excess fines	1.00	~too clayey	0.94	~too clayey	0.76
	(moderately limited)		(bottom layer)		(bottom layer)		(limited)		(limited)	
							~slope	0.63	~slope	0.63
							(limited)		(limited)	
Egyptgrove----	Moderately limited		Very limited		Limited		Very limited		Very limited	
	~shrink-swell	0.45	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~cutbanks cave	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	0.99	~small stones	1.00	~too clayey	1.00
			(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~slope	0.63
							(very limited)		(limited)	
Tonti-----	Moderately limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.04	~excess fines	1.00	~excess fines	0.75	~dense layer <20"	1.00	~wetness	1.00
	(slightly limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~cutbanks cave	1.00
							(very limited)		(very limited)	
73305:										
Egyptgrove----	Moderately limited		Very limited		Limited		Very limited		Very limited	
	~shrink-swell	0.45	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~cutbanks cave	1.00
	(moderately limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	0.99	~small stones	1.00	~too clayey	1.00
			(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~area reclaim	1.00		
							(very limited)			

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73306:										
Gressy-----	Slightly limited		Very limited		Very limited		Slightly limited		Very limited	
	~low strength	0.22	~excess fines	1.00	~excess fines	1.00	~small stones	0.12	~cutbanks cave	1.00
	(slightly limited)		(thickest layer)		(thickest layer)		(slightly limited)		(very limited)	
	~shrink-swell	0.18	~excess fines	1.00	~excess fines	1.00	~area reclaim	0.08	~too clayey	1.00
	(slightly limited)		(bottom layer)		(bottom layer)		(slightly limited)		(very limited)	
Gatewood-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~wetness	1.00
	(very limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	1.00					~small stones	0.88	~too clayey	1.00
	(very limited)						(limited)		(very limited)	
73307:										
Gressy-----	Slightly limited		Very limited		Very limited		Moderately limited		Very limited	
	~shrink-swell	0.22	~excess fines	1.00	~excess fines	1.00	~area reclaim	0.32	~cutbanks cave	1.00
	(slightly limited)		(thickest layer)		(bottom layer)		(moderately limited)		(very limited)	
	~low strength	0.22	~excess fines	1.00	~excess fines	1.00			~too clayey	0.99
	(slightly limited)		(bottom layer)		(thickest layer)				(limited)	
Viraton-----	Moderately limited		Very limited		Possible source		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.20	~excess fines	1.00	~possible source	0.25	~dense layer <20"	1.00	~wetness	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~wetness	0.48	~cutbanks cave	1.00
							(moderately limited)		(very limited)	
73308:										
Grandgulf-----	Very limited		Very limited		Very limited		Not limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00			~ponded (wetness)	1.00
	(very limited)		(thickest layer)		(bottom layer)				(very limited)	
			~excess fines	1.00	~excess fines	1.00			~cutbanks cave	0.29
			(bottom layer)		(thickest layer)				(slightly limited)	

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73309: Clarksville----	Moderately limited ~slope (moderately limited)	0.50	Very limited ~excess fines (thickest layer)	1.00	Possible source ~excess fines (bottom layer)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
			~excess fines (bottom layer)	1.00	~possible source (thickest layer)	0.50	~small stones (very limited)	1.00	~cutbanks cave (very limited)	1.00
							~too acid (slightly limited)	0.30	~too clayey (limited)	0.79
Bendavis-----	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (bottom layer)	0.75	Very limited ~slope (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00
	~slope (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	0.75	~small stones (very limited)	1.00	~slope (very limited)	1.00
	~wetness (slightly limited)	0.12					~large surface stones (limited)	0.70	~cutbanks cave (very limited)	1.00
73310: Scholten-----	Limited ~wetness (limited)	0.82	Very limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (thickest layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~wetness (very limited)	1.00
	~shrink-swell (slightly limited)	0.04	~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	0.62	~area reclaim (very limited)	1.00	~cutbanks cave (very limited)	1.00
							~dense layer (limited)	1.00	~dense layer (limited)	1.00
Bendavis-----	Very limited ~depth to bedrock (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~hard bedrock <40" (very limited)	1.00
	~wetness (slightly limited)	0.12	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~depth to bedrock (limited)	0.93	~cutbanks cave (very limited)	1.00
							~too acid (slightly limited)	0.30	~wetness (very limited)	1.00

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73310: (cont)										
Poynor-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.14	~excess fines	1.00	~possible source	0.50	~too acid	0.36	~too clayey	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(moderately limited)		(very limited)	
							~area reclaim	0.32		
							(moderately limited)			
73311:										
Scholten-----	Limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.82	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~wetness	1.00
	(limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.04	~excess fines	1.00	~excess fines	0.62	~area reclaim	1.00	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~dense layer	1.00	~dense layer	1.00
							(limited)		(limited)	
Bendavis-----	Very limited		Very limited		Limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	0.75	~depth to bedrock	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.12	~excess fines	1.00	~excess fines	0.75	~small stones	1.00	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~slope	0.63	~wetness	1.00
							(limited)		(very limited)	
Poynor-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.14	~excess fines	1.00	~excess fines	1.00	~slope	0.63	~too clayey	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
							~too acid	0.42	~slope	0.63
							(moderately limited)		(limited)	



# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73312:										
Alred-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.81	~excess fines	1.00	~possible source	0.50	~too acid	0.48	~too clayey	1.00
	(limited)		(bottom layer)		(thickest layer)		(moderately limited)		(very limited)	
							~too clayey	0.25		
							(slightly limited)			
Bendavis-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~depth to bedrock	1.00	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~hard bedrock <40"	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~wetness	0.12	~excess fines	1.00	~excess fines	1.00	~depth to bedrock	0.93	~cutbanks cave	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(limited)		(very limited)	
							~too acid	0.30	~wetness	1.00
							(slightly limited)		(very limited)	
73313:										
Fanchon-----	Not limited		Very limited		Limited		Slightly limited		Very limited	
			~excess fines	1.00	~excess fines	1.00	~too acid	0.24	~cutbanks cave	1.00
			(thickest layer)		(bottom layer)		(slightly limited)		(very limited)	
			~excess fines	1.00	~excess fines	0.99			~too clayey	1.00
			(bottom layer)		(thickest layer)				(very limited)	
Tonti-----	Moderately limited		Very limited		Possible source		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	0.75	~small stones	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.04	~excess fines	1.00	~possible source	0.50	~dense layer <20"	1.00	~wetness	1.00
	(slightly limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~cutbanks cave	1.00
							(very limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73314: Tanglenook-----	Very limited ~low strength (very limited) ~wetness (very limited) ~shrink-swell (very limited)	 1.00  1.00 1.00	Not Rated Not Rated ~excess fines (thickest layer)	  1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited)	 1.00 1.00	Very limited ~wetness (very limited) ~too clayey (moderately limited) ~cutbanks cave (slightly limited)	 1.00  0.60 0.29
73315: Deible-----	Very limited ~wetness (very limited) ~shrink-swell (very limited)	 1.00  1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00 1.00	Very limited ~wetness (very limited) ~too clayey (very limited) ~too acid (slightly limited)	 1.00 1.00 1.00 0.30	Very limited ~wetness (very limited) ~too clayey (moderately limited) ~cutbanks cave (slightly limited)	 1.00  0.47 0.29
73316: Clarksville----	Limited ~slope (limited)	 0.75	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Possible source ~excess fines (bottom layer) ~possible source (thickest layer)	 1.00 0.50	Very limited ~slope (very limited) ~small stones (very limited) ~too acid (slightly limited)	 1.00 1.00 1.00 0.30	Very limited ~slope (very limited) ~cutbanks cave (very limited) ~too clayey (limited)	 1.00  1.00 0.79
Tick-----	Very limited ~low strength (very limited) ~slope (limited) ~shrink-swell (slightly limited)	 1.00  0.92 0.30	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00 1.00	Very limited ~slope (very limited) ~too clayey (very limited) ~too acid (moderately limited)	 1.00 1.00 1.00 0.42	Very limited ~slope (very limited) ~too clayey (very limited) ~cutbanks cave (slightly limited)	 1.00  1.00 0.29

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73316: (cont)										
Mano-----	Very limited		Very limited		Possible source		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~slope	1.00	~slope	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~slope	0.92	~excess fines	1.00	~possible source	0.50	~small stones	1.00	~cutbanks cave	1.00
	(limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
	~shrink-swell	0.50					~too acid	0.48	~too clayey	1.00
	(moderately limited)						(moderately limited)		(very limited)	
74626:										
Tanglenook----	Very limited		Not Rated		Very limited		Very limited		Very limited	
	~low strength	1.00	Not Rated		~excess fines	1.00	~wetness	1.00	~wetness	1.00
	(very limited)				(bottom layer)		(very limited)		(very limited)	
	~wetness	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~too clayey	0.68
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(limited)	
	~shrink-swell	1.00							~cutbanks cave	0.29
	(very limited)								(slightly limited)	
74627:										
Hartville-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~low strength	1.00	~excess fines	1.00	~excess fines	1.00	~too clayey	1.00	~wetness	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	1.00	~excess fines	1.00	~excess fines	1.00	~wetness	0.48	~too clayey	0.33
	(very limited)		(bottom layer)		(thickest layer)		(moderately limited)		(moderately limited)	
	~wetness	0.48							~cutbanks cave	0.29
	(moderately limited)								(slightly limited)	
74648:										
Aslinger-----	Moderately limited		Very limited		Limited		Very limited		Very limited	
	~wetness	0.48	~excess fines	1.00	~excess fines	0.99	~dense layer <20"	1.00	~dense layer <20"	1.00
	(moderately limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	0.99	~small stones	1.00	~wetness	1.00
			(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~cutbanks cave	1.00
							(very limited)		(very limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74658: Zanoni-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Possible source ~excess fines (thickest layer)	1.00	Very limited ~area reclaim (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~possible source (bottom layer)	0.25	~too sandy (limited)	0.63		
74677: Deible-----	Very limited ~wetness (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
	~shrink-swell (very limited)	1.00	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (very limited)	1.00	~too clayey (moderately limited)	0.60
									~cutbanks cave (slightly limited)	0.29
74679: Higdon-----	Very limited ~low strength (very limited)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Limited ~wetness (limited)	0.86	Very limited ~wetness (very limited)	1.00
	~wetness (limited)	0.86	~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~too clayey (slightly limited)	0.08	~cutbanks cave (slightly limited)	0.29
	~shrink-swell (slightly limited)	0.23								
74681: Lostpond-----	Limited ~wetness (limited)	0.96	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~wetness (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (thickest layer)	1.00	~wetness (limited)	0.96	~cutbanks cave (very limited)	1.00
							~area reclaim (limited)	0.68		

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74690: Moniteau-----	Very limited ~low strength (very limited) ~wetness (very limited) ~shrink-swell (moderately limited)	 1.00  1.00 0.37	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00  1.00	Very limited ~wetness (very limited) ~too clayey (moderately limited)	 1.00  0.33	Very limited ~wetness (very limited) ~cutbanks cave (slightly limited)	 1.00  0.29
75381: Bearthicket----	Very limited ~low strength (very limited)	 1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (bottom layer) ~excess fines (thickest layer)	 1.00  1.00	Not limited		Slightly limited ~cutbanks cave (slightly limited)	 0.29
75390: Razort-----	Not limited		Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  0.99	Very limited ~area reclaim (very limited) ~small stones (moderately limited)	 1.00  0.50	Very limited ~cutbanks cave (very limited)	 1.00
75408: Secesh-----	Not limited		Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	 1.00  1.00	Very limited ~area reclaim (very limited) ~small stones (very limited) ~too clayey (slightly limited)	 1.00  1.00 0.12	Very limited ~cutbanks cave (very limited) ~too clayey (slightly limited)	 1.00  0.15

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75417: Relfe-----	Not limited		Possible source ~excess fines (thickest layer)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~too sandy (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~possible source (bottom layer)	0.26	~excess fines (bottom layer)	1.00	~small stones (very limited)	1.00	~flooding (moderately limited)	0.60
							~area reclaim (very limited)	1.00		
Sandbur-----	Not limited		Limited ~excess fines (thickest layer)	1.00	Limited ~excess fines (thickest layer)	1.00	Very limited ~area reclaim (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	0.97	~excess fines (bottom layer)	0.94	~too sandy (limited)	0.76	~flooding (moderately limited)	0.60
75418: Tilk-----	Slightly limited ~large stones (slightly limited)	0.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (bottom layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	0.99	~excess fines (thickest layer)	1.00	~area reclaim (very limited)	1.00	~large stones (slightly limited)	0.00
							~too sandy (limited)	0.60		
75420: Secesh-----	Not limited		Very limited ~excess fines (thickest layer)	1.00	Very limited ~excess fines (thickest layer)	1.00	Very limited ~small stones (very limited)	1.00	Very limited ~cutbanks cave (very limited)	1.00
			~excess fines (bottom layer)	1.00	~excess fines (bottom layer)	1.00	~area reclaim (limited)	0.92	~flooding (moderately limited)	0.60
							~too clayey (slightly limited)	0.12		

Howell County, Missouri: Detailed Soil Map Legend

Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75420: (cont)										
Tilk-----	Not limited		Very limited		Very limited		Very limited		Very limited	
			~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
			(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	0.99	~excess fines	1.00	~area reclaim	1.00	~flooding	0.60
			(bottom layer)		(bottom layer)		(very limited)		(moderately limited)	
							~too sandy	0.60		
							(limited)			
75423:										
Cedargap-----	Not limited		Very limited		Possible source		Very limited		Very limited	
			~excess fines	1.00	~possible source	0.50	~small stones	1.00	~cutbanks cave	1.00
			(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~possible source	0.46	~area reclaim	1.00	~flooding	0.60
			(bottom layer)		(bottom layer)		(very limited)		(moderately limited)	
							~too sandy	0.52		
							(moderately limited)			
75432:										
Batcave-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness	1.00	~excess fines	1.00	~excess fines	1.00	~wetness	1.00	~wetness	1.00
	(very limited)		(thickest layer)		(thickest layer)		(very limited)		(very limited)	
			~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
			(bottom layer)		(bottom layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~flooding	0.60
							(very limited)		(moderately limited)	
Farewell-----	Very limited		Very limited		Very limited		Very limited		Very limited	
	~wetness	1.00	~excess fines	1.00	~excess fines	1.00	~wetness	1.00	~wetness	1.00
	(very limited)		(thickest layer)		(bottom layer)		(very limited)		(very limited)	
	~shrink-swell	0.39	~excess fines	1.00	~excess fines	1.00	~small stones	1.00	~cutbanks cave	1.00
	(moderately limited)		(bottom layer)		(thickest layer)		(very limited)		(very limited)	
							~area reclaim	1.00	~flooding	0.60
							(very limited)		(moderately limited)	

# Howell County, Missouri: Detailed Soil Map Legend

## Construction Materials and Excavating

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Source for roadfill		Source for sand		Source for gravel		Source for topsoil		Shallow excavations	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
75433: Racket-----	Slightly limited ~shrink-swell (slightly limited)	0.15	Not Rated Not Rated ~excess fines (thickest layer)	1.00	Very limited ~excess fines (thickest layer) ~excess fines (bottom layer)	1.00	Very limited ~area reclaim (very limited) ~too clayey (slightly limited)	1.00	Very limited ~cutbanks cave (very limited) ~flooding (moderately limited) ~wetness (slightly limited)	1.00
99001: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
99002: Borrow areas---	Not rated		Not rated		Not rated		Not rated		Not rated	